

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2988	steer adj3 wire or steer\$by\$wire	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 21:50
L2	2933	steer adj3 wire or steer\$by\$wire with known	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 21:50
L3	2930	steer adj3 wire or steer\$by\$wire with well adj known	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 21:50
L4	12	(steer adj3 wire or steer\$by\$wire) with well adj known	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 21:51
S1	1	"10581834"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/21 10:11
S2	9358	steer\$3 with angle and steering with torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/21 15:42
S3	0	steer\$3 with angle and steering with torque and load with moment and split \$mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/21 15:43

S4	18	steer\$3 with angle and steering with torque and split\$mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/21 15:43
S5	2686	701/41-44.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/21 16:18
S6	0	("2008/0040002").URPN.	USPAT	OR	ON	2010/04/21 16:46
S7	1014	180/442,446.ccls.	USPAT	OR	ON	2010/04/22 13:08
S8	2691	701/41-44.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 13:08
S9	496	180/442,446.ccls. not S8	USPAT	OR	ON	2010/04/22 13:08
S10	76	188/350.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 13:36
S11	1011	303/146-150.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 13:36
S12	959	303/146-150.ccls. not (S7 or S8 or S10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 13:37
S13	4686	steering near2 line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 14:27

S14	1877	steer\$3 near2 line and steer\$3 with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 14:28
S15	50	steer\$3 near2 line and steer\$3 with angle with instant\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 14:28
S16	4	steer\$3 near2 line and steer\$3 with angle same (instant\$6 and nominal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 14:29
S17	3	("6256561" "6640923"). PN. OR ("7496436"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/22 14:30
S18	195	steer\$3 near2 line and steer\$3 with angle with actual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 14:53
S19	929	steer\$3 adj line	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 17:50
S20	35	steer\$3 adj line and steer \$3 near3 torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 17:50
S22	35	steer\$3 adj line and steer \$3 near3 torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 17:50
S23	35	steer\$3 adj line and torque with (addition\$2 or adjust\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 17:53

S24	4	steer\$3 adj line with moment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 17:56
S25	234	steer\$3 with line with moment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/22 17:56
S26	2	"10581016"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 09:34
S27	276	steer\$3 with torque and instantaneous with steer \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 10:38
S28	6	steer\$3 with torque and instantaneous with steer \$3 with (model or nominal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 10:39
S29	28	("4690431" "4720790" "4934474" "4998201" "5267160" "5274555" "5285390" "5448481" "5502639").PN. OR ("5642281").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/23 10:58
S30	61	("3831701" "4998593" "5035295" "5089967" "5205371" "5227974" "5229955" "5316379" "5428532" "5528497" "5732371" "5732379" "5742919" "5774819" "5790966" "5832402" "5845222" "5853064").PN. OR ("6226579").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/23 11:02
S31	7	("5729107" "6032757" "6059068" "6223847" "6367577").PN. OR ("6550569").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/23 11:16

S32	18707	steer\$3 with load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 11:25
S33	3606	steer\$3 with load and torque with steer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 11:25
S34	347	steer\$3 with load and torque with steer\$3 and disturbance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 11:25
S35	273	steer\$3 with load and torque with steer\$3 and disturbance and steer\$ with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 11:25
S36	53	steer\$3 with load and torque with steer\$3 and disturbance and steer\$ with angle and split\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:47
S37	87	steer\$3 with load and torque with steer\$3 and disturbance and steer\$ with angle and friction with coefficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:49
S38	46177	steering with (actual or instantaneous or driver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:55
S39	4070	steering with (actual or instantaneous or driver or measured) with (calculated or determined or nominal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:56

S40	1485	steering with (actual or instantaneous or driver or measured) with (calculated or determined or nominal) and torque with steering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:56
S41	336	steering with (actual or instantaneous or driver or measured) with (calculated or determined or nominal) with (difference or deviation) and torque with steering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:57
S42	138	steering with (actual or instantaneous or driver or measured) with (calculated or determined or nominal) with (difference or deviation) and torque with steering and (load or moment) with steering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 12:57
S43	4	steering with load with disturbance with variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 13:54
S44	7526	steering near3 (reference or model\$3 or computed or nominal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:03
S45	2183	steering near3 (reference or model\$3 or computed or nominal) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:04
S46	16345	steering near3 (instant\$5 or momentary or sens\$2 or measure\$1 or actual) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:04
S47	1457	split\$u or split\$mu or split adj mu or road\$3 with coefficient with friction with (vary\$3 or varied or differ\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:58

S48	26237	torque with steer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:58
S49	23034	(load or moment) with steer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:59
S50	33	S45 and S46 and S47 and S48 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 14:59
S51	11	("20020030407" "20040016591" "6085860" "6095277" "6154696" "6542800" "6625529" "6705424"). PN. OR ("6968920"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/23 15:11
S52	1074	steering with rod with torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 17:10
S53	587	steering with rod with torque and motor with torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 17:11
S54	399	steering with rod with torque same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 17:11
S55	23	steering with rod with torque same motor same load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 17:11

S56	6	steering with rod with torque same motor same moment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 17:11
S57	17	steering with column with torque same motor same moment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/23 17:12
S58	193	steering with column with moment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 10:33
S59	302	steering with column with (load or moment) same motor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 10:34
S60	110	disturbance with variable with observer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 10:58
S61	1307	disturbance with observer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 12:40
S62	109	disturbance with observer and steering	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 12:41
S63	8	("20010041957" "20030055545" "20030191572" "5828972" "5845222" "6330496" "6954691"). PN. OR ("7273127"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2010/04/24 12:46

S64	148	inverse with vehicle with model	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 13:36
S65	19	inverse with vehicle with model with yaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 13:36
S66	28	inverse with vehicle with model same yaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 13:40
S67	72	inverse with model same yaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 14:06
S68	119	inverse with model same2 yaw	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/24 16:19

EAST Search History (Interference)

< This search history is empty >

4/ 24/ 2010 10:43:08 PM

C:\ Documents and Settings\ pnolan1\ My Documents\ EAST\ Workspaces\ 10581834.wsp